

Journal of Ankara Medical School

Adrenal Incidentaloma Cases: Clinical, Laboratory And Imaging Characteristics Of 62 Patients



The Prevalence Of Late Onset Congenital Adrenal Hyperplasia In Hirsute Women From Central Anatolia



Value Of Plasma Viscosity As An Acute Phase Reactant In Patients With Pneumonia



Age-Specific Seroprevalence And Associated Risk Factors For Hepatitis A In Children In Ankara, Turkey



Cardiac Troponin I In Acute Myocarditis Treated With A 12-Hour Infusion Of High Dose Intravenous Immunoglobulin



Intrapleural Streptokinase In The Management Of Pleural Empyema



Use Of Bovine Pericardium For Congenital Absence Of Left Diaphragm



Symptomatic Sacral Tarlov Cyst: Case Report

CONTENTS

MEDICAL SCIENCES

- Adrenal Incidentaloma Cases: Clinical, Laboratory And Imaging Characteristics Of 62 Patients*
Rifat Emral, Vedia Tonyukuk, Defne Önür, Demet Çorapçioğlu, Semih Aydınтуğ, Ali Rıza Uysal,
Nuri Kamel, Gürbüz Erdoğan55
- The Prevalence Of Late Onset Congenital Adrenal Hyperplasia In Hirsute Women From Central Anatolia*
Nuri Kamel, Vedia Tonyukuk, Rifat Emral, Demet Çorapçioğlu, Mehmet Baştemir, Sevim Güllü65
- Value Of Plasma Viscosity As An Acute Phase Reactant In Patients With Pneumonia*
Özkan Yetkin, İbrahim Tek, Funda Yetkin, Numan Numanoğlu77
- Age-Specific Seroprevalence And Associated Risk Factors For Hepatitis A In Children In Ankara, Turkey*
Gönül Tanır, Funda Kılıçarslan, Neşe Göl, Zafer Arslan81

CASE REPORTS

- Cardiac Troponin I In Acute Myocarditis Treated With A 12-Hour Infusion Of High Dose Intravenous Immunoglobulin*
Tanıl Kendirli, Nazire Naçar, Ergin Çiftçi, Tuğba Belgemen, Erdal İnce, Semra Atalay, Ercan Tutar89
- Intrapleural Streptokinase In The Management Of Pleural Empyema*
Dalokay Kılıç, Murat Kara, Ulaş Kumbasar, Şevket Kavukçu95
- Use Of Bovine Pericardium For Congenital Absence Of Left Diaphragm*
Meral Barlas, Aydın Yağmurlu, Meltem Bingöl-Koloğlu, Begüm Atasay99
- Symptomatic Sacral Tarlov Cyst: Case Report*
Hakan Kayalı, Bülent Düz, Engin Gönül103

**Journal Of Ankara
M e d i c a l
S c h o o l**

EDİTOR

Çetin EROL

ASSOCIATE EDİTORS

Nuri Kamel

Serdar Akyar

Ayşe Küçükdeveci

Fikri İçli

Meral Beksaç

Runa Uslu

Bahattin Güzel

Ayşe Olcay Aydıntuğ

Kadirhan Sunguroğlu

Meltem Çöl

Mesiha Ekim

EXECUTIVE SECRETERİAT

Muhit Özcan

Esra Atabekli Erdemli

Hasan Özcan

Hakan Gürdal

Ethem Geçim

Deniz Kumbasar

PAST EDİTORS

Yücel Kanpolat

EDİTORIAL BOARD

Hakkı Akalın

Gültekin Altay

Kadri Anafarta

Berna Arda

Leyla Atmaca

Ayşe Avcı

İ. Hakkı Ayhan

Işık Bökesoy

Amnon Carmi

Ragıp Çam

İlker Çetin

Abdülkadir Çevik

Lütfi Çöplü

Haluk Deda

Taner Demirer

İlker Durak

Nurşen Düzgün

Cengizhan Erdem

Selim Erekul

Emin Ergen

Yücel Erk

Halil Ertuğ

Şehsuvar Ertürk

Faruk Erzengin

Haluk Gökçora

Nahide Gökçora

Sevgi Gözdaşoğlu

Sedat Işık

Erdal Işık

Selim Karayalçın

Güzin Özelçi Kavas

Babür Küçük

Nigel Key

Metin Kır

Ercüment Kuterdem

Zeynep Mısırlıgil

Haldun Müderrisoğlu

Craig Niederberger

Emin Alp Niron

Hatice Özenci

Candan Özoğul

Mark E. Rosenberk

Lawrence S. Ross

Timur Sindel

Feride Söylemez

Gültekin Süleymanlar

Mustafa Şengezer

İbrahim Tekdemir

Melek Tulunay

Murat Tuncer

Ersöz Tüccar

Sema Yavuzer

Şinasi Yavuzer

Nezih Yücemem

All the authors stated in the published paper are kindly requested to be a subscriber to the Journal. Subscription price for the teaching staff members is 40.000.000 TL; 50% reductions for research fellows, practioners, etc.; 75% reductions for students, Subscription for the foreign countries: 100 \$.

The publishers supply reprints by price. The price and the acceptance letter of the manuscript sent to the address of the corresponding author.

FOR SUBSCRIPTION

Ankara Üniversitesi Tıp Fakültesi Vakfı - ANKARA

EDITORIAL OFFICE

A.Ü. Tıp Fakültesi Yayın Komisyonu Başkanlığı Sıhhiye - ANKARA

Tel: 0 (312) 310 30 30 / 207 - 330 Fax: 0 (312) 310 63 70

e-mail: tipdergi@medicine.ankara.edu.tr

ISSN 1300-5464

Desing & Preparation: ANTIP A.Ş. 0 (312) 310 63 05 - 310 33 33 / 22 53 Turgay Süslü

Constraint: BARAN Ofset • 0 (312) 336 68 74

**Journal Of Ankara
M e d i c a l
S c h o o l**

**Published Quanterly by
ANKARA UNIVERSITY MEDICAL SCHOOL**

INTRUCTIONS TO AUTHORS:

Journal of Ankara Medical School publishes original articles of research on clinical and basic sciences and concise case reports.

The language of the Journal is English.

All material should be addressed to the Editor (Ankara Üniversitesi Tıp Fakültesi Yayın Komisyonluđu Başkanlığı, 06100 Ankara, Turkey), in three copies and a floppy disk, ideally **Microsoft Word 6.0 or 2.0**. An introductory letter identifying the authors(s), their telephone and fax number(s) and their address(s) should accompany the manuscript.

Journal accepts the contributions with the understanding that neither the article nor any part of its essential results has been published or submitted for publication elsewhere prior to its appearance in this Journal. Work already presented in a congress or published as an abstract within the context of congress or scientific meetings may be accepted for publication provided that this fact is mentioned.

All materials including text, figures, tables, references and glossy prints of figures should not exceed ten pages. The upperlimit for case presentation is three pages.

Title of the Paper: (English and Turksih) Must not exceed 80 spaces. If title exceeds 80 letter space a "running title" fewer than 40 letter spaces should be prepared in order to be placed on top of odd numbered pages.

The names(s) of author(s), including first name(s) must be written below the title. The academic degree(s) of author(s) can be stated as a foot note with an asterix placed on surname(s) of the author(s). The name and address of Correspondent author should be stated.

Summary in a foreign language: An abstract not more then 200 words must be written in English and in Turkish.

Key Words: Not more than five key words should be added below the summary in alphabetical order both in English and in Turkish.

Form: Article submitted must be double-spaced typewritten on standard size paper (21x30 cm). margins 3 cm to the left and 2 cm to the right should be left.

Illustrations: Photographs, graphics, and all other illustrations must be numbered according to consecutive appearance order. Graphics and figures should be made on glossy paper, preferably with china ink. Photographs should be made on glossy paper, black and white with sufficient contrast. A small legend must accompany each figure numbered letters.

The legends must be written on a separate sheet of paper, in the order of appearance within the article.

Figures and photographs must be presented in an envelope. Title of the article and author(s) must be written at the back of the samples with a light pencil.

The place where the illustrations are desired to appear within the text should be indicated by numbering it on left margin.

Tables: The tables must be typewritten double-spaced on a separate sheet of paper numbered with Arabic numerals. The contents of the table must be clearly expressed with a short title.

The results of the work must be stated either by table or by explanation within the text. Duplication of the above should be avoided.

The desired place for the tables should be indicated on the left margin of the written text.

References: Must be numbered in parenthesis on the same level the manuscript line. In papers representing a research work only those references which deal with the research should be mentioned. References should not exceed 25 in research and 10 in case reports. References should be arranged sequentially as they appear in the text. Example references are given below:

- Gozal D, Tiser A, Shupak A, et al. Necrotizing fasciitis. Arch Surg 1986; 121: 233-5.
- Moon RE, Gorman DF. Treatment of the decompression disorders. In: Bennett BP, Eliot DH, eds. The Physiology and Medicine of Diving. 4th ed. Philadelphia: W.B. Saunders, 1993: 454-80.

Reprints are available at prices determined by article length and quantity.